

	Type	Hits	Search Text
1	BRS	0	"10602547"
2	BRS	1	"10/602547"
3	BRS	7	"5822936"
4	BRS	52	("0774959" "0980255" "1035908" "1155717" "1199357" "1803514" "1957933" "2054665" "2105784" "2170637" "2208010" "2209580" "2212982" "2231528" "2269490" "2350827" "2412242" "2628388" "2927665" "2932860" "3423891" "3485405" "3530633" "3969855" "4028856" "4254600" "4677798" "4856791" "5400692").PN.
5	BRS	0	kyle near batemen
6	BRS	20	kyle near bateman
7	BRS	1104	((metal or steel) near plates) and keyhole
8	BRS	64	((metal or steel) near plates) and keyhole and seam
9	BRS	20	S7 and (bullet or projectile or missile)
10	BRS	255	((metal or steel) near plates) and keyhole and nut and bolt
11	IS&R	1223	(89/36.01-36.04).CCLS.
12	BRS	496	S11 and plate

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 09:22		
2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:01		
3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/19 11:09		
4	US-PGPUB; USPAT; USOCR	2005/05/19 11:10		
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/06/12 09:44		
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/06/12 09:44		
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/27 15:14		
8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/27 15:11		
9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/27 15:11		
10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/27 15:14		
11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 07:58		
12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 07:59		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11
12		S12

	Type	Hits	Search Text
13	BRS	406	S11 and plate and (metal or steel)
14	BRS	28	"2443916"
15	BRS	3	"2002084193"
16	BRS	16	"1362213"
17	BRS	1	10/602547
18	BRS	6	(keyslot and (plate near (metal or steel)) and (seam or strip))
19	BRS	8	(keyslot and (plate near (metal or steel)) and (seam or strip))
20	BRS	52429	(keyslot or (key adj slot) or keyway or (key adj way))
21	BRS	14398	(keyslot or (key adj slot) or keyway or (key adj way)) same plate
22	BRS	19538	(keyslot or (key adj slot) or keyway or (key adj way)) same plates
23	BRS	3600	(keyslot or (key adj slot) or keyway or (key adj way)) same plates and (seam or strip)
24	BRS	840	(keyslot or (key adj slot) or keyway or (key adj way)) same metal same plates and (seam or strip)
25	BRS	229	(keyslot or (key adj slot) or keyway or (key adj way)) same metal same plates and (seam or strip) and nut and bolt
26	BRS	108	((keyslot or (key adj slot) or keyway or (key adj way)) same nut same bolt same metal same plates) and (seam or strip)

	DBs	Time Stamp	Comments	Error Definition
13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 08:11		
14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 08:13		
15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 08:18		
16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/10/03 08:18		
17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:13		
18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:14		
19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:15		
20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:16		
21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:16		
22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:16		
23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:17		
24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:18		
25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:18		
26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/14 16:19		

	Errors	Ref #
13		S13
14		S14
15		S15
16		S16
17		S17
18		S18
19		S19
20		S20
21		S21
22		S22
23		S23
24		S24
25		S25
26		S26

	Type	Hits	Search Text
27	BRS	48974	(keyhole or (key adj hole))
28	BRS	1413	(keyhole or (key adj hole)) same (nut and bolt)
29	BRS	960	((keyhole or (key adj hole)) same (nut and bolt) same (plate or wall))
30	BRS	948	((keyhole or (key adj hole)) same (nut and bolt) same (plate or wall))
31	BRS	2647	(steel or metal) same (wall or plate) same keyhole
32	BRS	635	(steel or metal) same (wall or plate) same keyhole same (facing or strip)
33	BRS	627	"403"/\$.ccls. and (keyhole or (key adj hole))
34	BRS	106	"403"/\$.ccls. and (keyhole or (key adj hole)) and ((metal or steel) near10 (wall or plate))
35	BRS	20	(kyle near bateman)
36	BRS	5	("5822936").URPN.
37	BRS	52	("0774959" "0980255" "1035908" "1155717" "1199357" "1803514" "1957933" "2054665" "2105784" "2170637" "2208010" "2209580" "2212982" "2231528" "2269490" "2350827" "2412242" "2628388" "2927665" "2932860" "3423891" "3485405" "3530633" "3969855" "4028856" "4254600" "4677798" "4856791" "5400692").PN.
38	BRS	4	porta near target
39	BRS	2	Paul near Scholem

	DBs	Time Stamp	Comments	Error Definition
27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/15 10:34		
28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/15 10:34		
29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/15 10:37		
30	US-PGPUB; USPAT; USOCR; EPO; JPO	2006/02/15 10:37		
31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:13		
32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:16		
33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:17		
34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:25		
35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:25		
36	USPAT	2006/02/17 13:27		
37	US-PGPUB; USPAT; USOCR	2006/02/17 13:34		
38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 13:56		
39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:22		

	Errors	Ref #
27		S27
28		S28
29		S29
30		S30
31		S31
32		S32
33		S33
34		S34
35		S35
36		S36
37		S37
38		S38
39		S39

	Type	Hits	Search Text
40	BRS	117	"273"/\$.ccls. and (keyhole or (key adj hole) or keyslot or (key adj slot))
41	BRS	13	S40 and (bullet or projectile)
42	BRS	13	S40 and (bullet or projectile)
43	BRS	899	"403"/\$.ccls. and (keyhole or (key adj hole) or keyslot or (key adj slot))
44	BRS	5	"403"/\$.ccls. and (keyhole or (key adj hole) or keyslot or (key adj slot)) and (bullet or projectile)
45	IS&R	284	(273/410).CCLS.
46	BRS	138	S45 and (bullet or projectile)
47	BRS	1	10/602547
48	BRS	1	10/602547
49	BRS	1	10/602547
50	IS&R	284	(273/410).CCLS.
51	BRS	15	("3404887" "3508302" "3701532" "3737165" "4723749" "4786059" "5127340" "5456155" "5535662" "5600084" "5779068" "5822936" "5848794").PN.
52	BRS	5	("0620073" "1425324" "4021974").PN.
53	BRS	3	("5600084").URPN.

	DBs	Time Stamp	Comments	Error Definition
40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:24		
41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:23		
42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:23		
43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:24		
44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/17 14:24		
45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/20 08:51		
46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/20 08:59		
47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/02/20 08:59		
48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/08 07:34		
49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 11:05		
50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 14:37		
51	US-PGPUB; USPAT; USOCR	2006/04/06 11:07		
52	US-PGPUB; USPAT; USOCR	2006/04/06 11:23		
53	USPAT	2006/04/06 11:23		

	Errors	Ref #
40		S40
41		S41
42		S42
43		S43
44		S44
45		S45
46		S46
47		S47
48		S48
49		S49
50		S50
51		S51
52		S52
53		S53

	Type	Hits	Search Text
54	BRS	2	S50 and ((key adj (hole or slot)) or keyhole or keyslot)
55	BRS	107	"89"/\$.ccls. and ((key adj (hole or slot)) or keyhole or keyslot)
56	BRS	13128	keyhole and metal and plate
57	BRS	1316	keyhole same metal same plate
58	BRS	99	keyhole near5 metal near5 plate
59	BRS	13	keyway near5 metal near5 plate
60	BRS	93	hole near5 slot near5 metal near5 plate
61	BRS	515	cutout near10 metal near5 plate
62	IS&R	2	("6588759").PN.
63	BRS	15	("3404887" "3508302" "3701532" "3737165" "4723749" "4786059" "5127340" "5456155" "5535662" "5600084" "5779068" "5822936" "5848794").PN.
64	BRS	971	plate same slot same fastener same align
65	BRS	971	plates same slot same fastener same align
66	BRS	371	plates same slot same fastener same align same adjacent
67	IS&R	2	("5822936").PN.

	DBs	Time Stamp	Comments	Error Definition
54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:02		
55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:03		
56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:22		
57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:22		
58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:22		
59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:23		
60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:25		
61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:38		
62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 12:38		
63	US-PGPUB; USPAT; USOCR	2006/04/06 12:43		
64	US-PGPUB; USPAT; USOCR	2006/04/06 12:43		
65	US-PGPUB; USPAT; USOCR	2006/04/06 12:44		
66	US-PGPUB; USPAT; USOCR	2006/04/06 13:09		
67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 13:09		

	Errors	Ref #
54		S54
55		S55
56		S56
57		S57
58		S58
59		S59
60		S60
61		S61
62		S62
63		S63
64		S64
65		S65
66		S66
67		S67

	Type	Hits	Search Text
68	BRS	52	("0774959" "0980255" "1035908" "1155717" "1199357" "1803514" "1957933" "2054665" "2105784" "2170637" "2208010" "2209580" "2212982" "2231528" "2269490" "2350827" "2412242" "2628388" "2927665" "2932860" "3423891" "3485405" "3530633" "3969855" "4028856" "4254600" "4677798" "4856791" "5400692").PN.
69	BRS	69	"102"/\$.ccls. and (paintball or (paint adj ball))
70	BRS	0	284/410.ccls. and decelerat\$4
71	BRS	0	"284"/\$.ccls. and decelerat\$4
72	BRS	259	"273"/\$.ccls. and decelerat\$4
73	BRS	50	"273"/\$.ccls. and (decelerat\$4 near10 (bullet or projectile or ballistic))
74	BRS	15	(US-0980255-\$ or US-2209580-\$ or US- 6014843-\$ or US-6754992-\$ or US- 3485405-\$ or US-6533280-\$ or US- 6588759-\$ or US-5822936-\$ or US- 5996728-\$ or US-3837136-\$ or US- 6494639-\$ or US-5749177-\$ or US- 5600084-\$).did. or (US-2231528-\$).did. or (DE-3734439-\$).did.
75	BRS	8	S74 and steel
76	BRS	473	89/36.01-36.15.ccls. and steel and plate
77	BRS	55	89/36.01-36.15.ccls. and steel and plate and wood

	DBs	Time Stamp	Comments	Error Definition
68	US-PGPUB; USPAT; USOCR	2006/04/06 13:09		
69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 14:37		
70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 15:47		
71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 15:47		
72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 15:47		
73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:35		
74	USPAT; USOCR; EPO	2006/04/06 16:03		
75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:06		
76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:31		
77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:13		

	Errors	Ref #
68		S68
69		S69
70		S70
71		S71
72		S72
73		S73
74		S74
75		S75
76		S76
77		S77

	Type	Hits	Search Text
78	BRS	418	S76 not S77
79	BRS	271	89/36.01-36.15.ccls. and slot
80	BRS	183	89/36.01-36.15.ccls. and slot and plate
81	BRS	57	89/36.01-36.15.ccls. and (slot same (fastener or bolt or nut)) and plate
82	BRS	36	"273"/410.ccls. and slot
83	BRS	1	hole near slot near equivalent
84	BRS	70	hole near10 slot near10 equivalent
85	BRS	2	hole near5 "or" near5 slot
86	BRS	3867	plate near10 fastener near10 slot
87	BRS	130	plates near5 fastener near5 slot near5 hole
88	BRS	1705	plates near5 fastener near5 slot
89	BRS	227	plate near5 slot near5 adjust\$4 near5 fastener
90	BRS	227	plates near5 slot near5 adjust\$4 near5 fastener
91	BRS	3005	slot adj bolt

	DBs	Time Stamp	Comments	Error Definition
78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:13		
79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:32		
80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:32		
81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 16:32		
82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:00		
83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:01		
84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:04		
85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:05		
86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:06		
87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:11		
88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:07		
89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:12		
90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:29		
91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:29		

	Errors	Ref #
78		S78
79		S79
80		S80
81		S81
82		S82
83		S83
84		S84
85		S85
86		S86
87		S89
88		S88
89		S90
90		S91
91		S92

	Type	Hits	Search Text
92	BRS	64	(slot adj bolt) same align
93	IS&R	2	("5663520").PN.
94	BRS	1	10/602547
95	IS&R	2	("5600084").PN.
96	BRS	44	273/410.ccls. and wood
97	BRS	51	273/410.ccls. and (wood or plywood)
98	BRS	34	273/410.ccls. and bracket

	DBs	Time Stamp	Comments	Error Definition
92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/06 17:29		
93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 13:43		
94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 13:46		
95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 13:55		
96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 13:55		
97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 14:07		
98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/04/09 14:08		

	Errors	Ref #
92		S93
93		S94
94		S95
95		S96
96		S97
97		S98
98		S99